
Bird Feeder Digital Download

Brought to you by the Three Toed Bear



THREETOEDBEAR CUSTOMIZE YOUR LIFE




Thank you so much for your purchase and your interest in my designs. If you get the chance, pop on over to <u>www.threetoedbear.com</u> where there are lots of free downloads and some discount links for some others. Be sure to subscribe to the mailing list and be the first notified of new free designs, or when popular designs end up going online for free as a thank you to my customers!

You can also get notified of all the free files available on Facebook in the Glowforge Creators group at <u>https://www.facebook.com/groups/303245694844372</u>


And of course check me out on Instagram @threetoedbear <u>https://www.instagram.com/threetoedbear/</u> Please test the notch and groove fits before cutting the entire assembly. Not all lasers or materials are created the same, so getting a kerf-fit that works for everyone is impossible. This will work the material I recommend on <u>www.threetoedbear.com</u>


If the fits don't work for you, please feel free to shoot me an email at <u>threetoedbear@gmail.com</u> and we can work together to get you an assembly with the proper fits.



There are locking tabs on the Top and the Bottom. These get inserted into the holes on the the Back as shown by the arrows. The same thing will be done for the Front.


Front





The Hanger needs to be inserted into the Front and the Back as shown. The Front and Back may need to be bent or slightly removed from the Top and Bottom to assemble. This has been exaggerated in the image for instructional purposes only.

Front



The Locking Inserts will be inserted into all of the Locking Tabs on the Top and the Bottom. These will hold the Front, Back, and Sides on. Add glue as needed.

E


E

8

Locking

Insert

Insert the Left and Right Roof onto the Locking Tabs on the Front and the Back. Double check the orientation of the Roof Pieces. The bottom side of the roof piece is slightly longer than top side.




The Roof pieces align as a very tight fit with the hanger. If there is any bend in the Roof pieces against the hanger, the roof pieces are most likely upside down.

Left Roof

Right Roof

Hanger

Front




Insert the Roof Locking Insert into the locking tabs on the Front and the Back. There should be 4 Roof Locking Inserts used in total. Glue them in place if necessary.

Circular Holder

The Circular Holder gets inserted into the Locking Tab from the Hanger. Insert one end into the opening in the locking tab and rotate it until you get the desired look. Repeat this for both the Front and the Back. Roof Locking Inserts from the previous step should be inserted here.

Enjoy!



Send pictures or your birdhouses and birds! Send them <u>here</u>